GELEX GLOBAL GROUP

WWW.GELEXGLOBAL.COM WWW.GALA.BOATS

E-mail: office@gelexglobal.com



Technologies GALA



YouTube



Facebook



Distributors GALA



www.gala.boats



Instagram







ATLANTIS LITE lite RIB tenders



A300-LITE



«GALA - TABS» hull design - significantly improves the performance of the boat, provides a quick exit to the gliding mode and reduces fuel consumption



A footrest in the bow, which can be stepped on, sat on or secured the fuel tank using



Quality fittings with branding from GALA guarantees reliability and style in every detail of







Each GALA Atlantis-LITE is extremely low weight



A300 300 cm (9' 10") long 15HP max, 4 pers 50 kg (110 lbs)



330 cm (10' 10") long 20HP max, 4 pers 56 kg (123 lbs)

ATLANTIS LITE boats are designed for customers looking for lightweight and spacious RIB tenders. This series of boats includes four models: A240, A270, A300 and A330. The main advantage of these boats is a standard panel on the bow of the boat that allows standing, sitting or securing a fuel tank, which optimizes the use of space. The patented «GALA - TABS» hull design provides easy exit to the glider and dry running, which makes these boats comfortable and safe in using. The sliding system of aluminum seats allows to conveniently organize a cockpit according to your needs.

A270 270 cm (8' 10") long 10HP max, 3 pers 44 kg (97 lbs)

Elegant design and original GALA fittings add sophistication to these boats. Tubes are available with PVC or HYPALON in different colors, which allows you to choose the option that best meets your requirements and wishes. In addition, each boat is equipped modern overpressure valve to protect against over pumping. These tenders are an ideal choice for those who appreciate lightness, comfort and high performance characteristics.



For complete information about the basic specifications, photos and videos please visit the website using the QR code



ATLANTIS LITE





Each model is equipped with a sliding aluminum



ATLANTIS double deck RIB tenders





Our aluminum-hulled ATLANTIS DOUBLE DECK tenders are a part of the high-class RIB line developed by GALA. These tenders come in six models: A240D, A270D, A300D, A330D, A360D, A390D. They have a sturdy and spacious design, including a standard bow locker with a soft cushion, large doors for access and double ventilation.

The main advantages include the patented «GALA - TABS» hull provides easy exit to the glider and splash quard, aluminum seats and a spacious cockpit. Boats are available with a PVC or HYPALON tubes in different colors and equipped with an overpressure valve.

The standard equipment includes: an aluminum V-shaped hull, a bow locker with non-slip coating, internal aluminum and external plastic transom plates for engine, zinc anodes, one-way drain valve, non-slip deck coating, handles made of molded PVC, three-chamber inflatable tube, high-efficiency foot pump and repair kit.



A spacious bow locker provides convenient storage for all essentials, keeping things tidy on board and optimizing the space of your boat



The flat deck combined with the non-slip EVA coating ensures stability and safety, preventing slipping and creating a comfortable environment for every trip



Experience state-of-art engineering with each original GALA fitting. GALA cleats are great feature for easy docking





convenient and practical accessory for storing things on board which is easy to attach



for getting on plane with ease and water spray



The handles on tubes provide additional comfort and safety for passengers, increasing safety during boat



ultraviolet rays and atmospheric precipitation



Each GALA Atlantis-LITE is extremely low weight

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit



ATLANTIS double deck

ATLANTIS AQUAHELM

console RIB tenders A300Q·A330Q·A360Q·A390Q











A300Q 300 cm (9' 10") long 20HP max, 5 pers 97 kg (213 lbs)

A330Q 330 cm (10' 10") long 30HP max, 5 pers 103 kg (227 lbs)

A360Q 60 cm (11' 10") long 30HP max, 6 pers 109 kg (240 lbs)

A390Q 390 cm (12' 10") long 30HP max, 6 pers 123 kg (271 lbs)

ATLANTIS AQUAHELM are console tenders of models A300Q, A330Q, A360Q, A390Q designed to provide ease and versatility with remote control. Head-on a feature - the steering console S-08 and seats. Boats are available to order with tubes made of PVC or HYPALON material in different colors.

The main advantages include the patented «GALA - TABS» hull provides easy exit to the glider and splash protection, light weight, elegant design, over pressure valve and practical console AQUAHELM C-08.

4330Q



The AQUAHELM console is characterized by an elegant and sophisticated design, while offering comfort for the driver and enough interior space to accommodate a large number of personal belongings



Convenient and aesthetic ergonomics of the console control ensures comfortable use and the possibility of installing all the necessary equipment



The bow step plate provides a convenient exit from the boat and can be equipped with a cleat





Each GALA boat is equipped with an advanced overpressure valve that protects against overheating



«GALA-TABS» hull design is a PATENTED feature for getting on plane with ease and water spray



Quality fittings with branding from GALA guarantees reliability and style in every detail of yours boat



An overall cover effectively protects your boat from ultraviolet rays and atmospheric precipitation



Each GALA Atlantis-LITE is extremely low weight It makes them an unbeatable choice if you need something lite

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



ATLANTIS AQUAHELM

ATLANTIS RIB tenders



A300L 300 cm (9' 10") long 20HP max, 4 pers 115 kg (253 lbs)



A330L 330 cm (10' 10") long 30HP max, 5 pers 126 kg (277 lbs)



ATLANTIS A300L and A330L are versatile midrange RIB tenders with a center console from GALA, ideal for yachting, family trips, water sports and fishing. Each the model is equipped with a fiberglass steering console, a double seat and a large bow locker with soft cushions, which provides enough storage space and comfortable seating.

The standard equipment includes an aluminum V-shaped hull, a driver's seat made of glass an eraser with a folding back and a locker for storage, a mechanical steering system, built-in ventilated bow locker, aluminum and plastic transom plates for engine mounting, a set of zinc anodes for additional protection against corrosion.

Additional equipment includes a fuel system, fiberglass side step panels and bow step plates with EVA Marine Deck non-slip coating for increased comfort and safety.



A bow locker with a soft cushion provides comfortable access to storage and adds convenience when using the boat



The ergonomic fiberglass steering console provides comfortable driving and makes it easy to install the necessary equipment



The bow step plate provides a convenient exit from the boat and can be equipped with a cleat and navigation lights





Side step panels with a non-slip coating provide a convenient exit from the boat, increasing safety and comfort during boarding and disembarking



«GALA-TABS» hull design is a PATENTED feature for getting on plane with ease and water spray protection



Seat back easily folds forward for higher driver position, access to back and features two safety st steel handrails



Bimini-Top provides protection from the sun while on the water, creating comfortable and cozy shade on board your boat



Each GALA Atlantis-LITE is extremely low weight It makes them an unbeatable choice if you need something lite

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



ATLANTIS RIB tenders



A360L 360 cm (11' 10") long 40HP max, 6 pers 160 kg (352 lbs)



A400L 400 cm (13' 1") long 50HP max, 7 pers 170 kg (374 lbs)



ATLANTIS A360L and A400L are versatile midrange RIB tenders with a center console from GALA, ideal for yachting, family trips, water sports and fishing. Each model is equipped with a fiberglass steering console, a double seat and a large bow locker with soft cushions, which provides enough storage space and comfortable seating.

The standard equipment includes an aluminum V-shaped hull, a driver's seat made of

The standard equipment includes an aluminum V-shaped hull, a driver's seat made of fiberglass with a folding back and a locker for storage, a mechanical steering system, built-in ventilated bow locker, aluminum and plastic transom plates for engine mounting, a set of zinc anodes for additional protection against corrosion.

Additional equipment includes a fuel system, fiberglass side steps panels and bow step plates with EVA Marine Deck non-slip coating for increased comfort and safety.

A360L



The bow locker with a soft cushion and backrest provides comfortable access to storage and adds convenience for passengers



A fuel tank, located in the bow, ensures optimal use of the working space, freeing up more space on board



The ergonomic fiberglass steering console provides comfortable driving and makes it easy to install the necessary equipment





The ergonomic cockpit space provides maximum comfort and convenience, optimizing the location of all elements in the boat



«GALA-TABS» hull design is a PATENTED feature for getting on plane with ease and water spray protection



Each GALA boat is equipped with an advanced overpressure valve that protects against overheating and over-inflating



Bimini-Top provides protection from the sun while on the water, creating comfortable and cozy shade on board your boat



Each GALA Atlantis-LITE is extremely low weight It makes them an unbeatable choice if you need something lite

For complete information about the basic equipment, additional options, technical specifications, photos and videos please vis the website using the QR code





TATLANTIS cruising RIB



A450 L 450 cm (14° 9") long 70HP max, 8 pers 240 kg (528 lbs)



A500L 500 cm (16' 5") long 90HP max, 9 pers 275 kg (605 lbs)



ATLANTIS A450L and A500L are medium sized aluminum RIBs with a spacious cockpit that are ideal for ideal for family recreation, water sports, fishing and professional using. They are equipped with a C-05 control console with a tall windshield and double seat S-03 with folding backrest for easy access to the rear cockpit.


A4501



The bow step plate provides a convenient exit from the boat and can be equipped with a cleat and navigation lights



The folding SunDeck in the bow provides a comfortable space for sunbathing, turning your trip on the water into a relaxation



The navigation arch provides additional functionality by allowing easy installation of navigation equipment





Heavy aluminum welded Deep-V hull makes this model a good performer with exceptional



«GALA - TABS» hull design - significantly improves the performance of the boat, provides a quick exit to the gliding mode and reduces fuel consumption



Branding from GALA on the details emphasizes the style and details of your boat, giving it a unique look and belonging to the premium class



The ergonomic fiberglass steering console provide comfortable driving and makes it easy install the necessary equipment



Bimini-Top provides protection from the sun while on the water, creating comfortable and cozy shade on board your boat

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visi the website using the QR code





VIKING luxe RIB tenders









300 cm (9' 10") long 20HP max, 4 pers 120 kg (264 lbs)


365 cm (12' 0") long 40HP max, 6 pers 168 kg (370 lbs)

VIKING V300, V330 and V360 are luxury aluminum RIB tenders with advanced design and wide self-draining cockpit. Each of them is equipped with a comfortable driver's seat with a recognizable design of an upholstery. The main advantages include GALA Z-TRANSO and updated control console with ergonomic design. Light weight (V300 – 120 kg, V330 - 135 kg, V360 - 168 kg) makes these models ideal for transportation. Stylish upholstery of soft elements adds comfort and improves operation.

Additional options for V300, V330 and V360 include an EVA Marine Deck, fiberglass side step panels and bow step plate, electric kit and different color options (light gray, white, black PVC or HYPALON tube).



«GALA - TABS» hull design - significantly improves the performance of the boat, provides a quick exit to the gliding mode and reduces fuel consumption. Fiberglass tube ends serve as a functional element and a stylish design solution that gives the



The recognizable Diamond Design of upholstery of VIKING series boats emphasizes their belonging to the premium segment, providing not only an elegant look, but



The improved designer handles on tubes add elegance and convenience by combining stylish look with practical functionality





convenient exit from the boat, increasing safety and comfort during boarding and disembarking



Convenient and designer buttons with illumination for controlling the elements of the electrical kit combine





Heavy aluminum welded Deep-V hull makes this



Bimini-Top provides protection from the sun while on the water, creating comfortable and cozy shade on

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



V340 · V360



VIKING V420 is a mid-sized aluminum hull luxury RIB and a great choice for being a roomy and powerful yacht tender, family boat or boat for watersports.

The major advantages and strong selling points of VIKING V420 are:

- very roomy cockpit with large and comfortable seats, spacious bow, rear and console locker storages.

- new and unique design of rear part of the boat: Z-transom with water deflector and transom extensions.

- fresh and elegant design along with exceptional performance,

- very convenient two side steps for safe boarding.

The boat can be equipped with under-deck 83-lit tank, placed in the mid-section of the boat for best weight balance

The boat can be built with either PVC or HYPALON inflatable tube.



V420 420 cm (13' 9") long 100HP max, 9 pers 225 kg (495 lbs)



A comfortable bow with a soft cushion and a backrest ensures a comfortable and pleasant stay for the passenger, turning every trip on the water into real relaxation



The ergonomic cockpit space provides maximum comfort and convenience, optimizing the arrangement of all elements in the boat



Removable sundeck with soft cushion





Heavy aluminum welded Deep-V hull makes this model a good performer with exceptiona seaworthiness



Convenient and designer buttons with illumination for controlling the elements of the electrical kit combine style and functionality.



Quality fittings with branding from GALA guarantees reliability and style in every detail of yours boat



Each GALA boat is equipped with an advanced overpressure valve that protects against overheating and over-inflating



Bimini-Top provides protection from the sun while on the water, creating comfortable and cozy shade on board your boat

equipment, additional options, technical specifications, photos and videos please visit the website using the QR code

For complete information about the basic



VIKINO V420





VIKING V500 is one of the most popular models in GALA line. This model opens a new extensive series of cruising RIB with aluminum hulls, suitable for heavy sea conditions and high waves.

This model is 5 m (16'5") long, rated for 100HP engine, being the most compact RIB with four-units cockpit configuration on a market. It features:

- Bow locker with cushion and seat back, - Fiberglass steering console with front
- Wide rear seating with folding seat back
- and large rear storage compartment. - Two rear walking platforms with motor
- well add a nice touch of comfort and safety. - The boat comes with some unique optional features from GALA:

- Original GALA T-top with aerodynamically profiled framing.

- Heavy-duty welded towing arch with two mooring cleats and waterski towing post. These make this model an excellent choice for watersports, family cruising or just relaxed boating across the waves.

The boat comes with two choices of tube material: either HYPALON and PVC with nice selection of colors and original GALA







Console with high windshield and railing and roomy dashboard for up to 10" GPS plotter and other equipment



The ergonomic cockpit space provides maximum comfort and convenience, optimizing the arrangement of all elements in the boat



The improved designer handles on tubes add elegance and convenience by combining stylish look with practical functionality







Fiberglass steering console and driver and passenger ergonomic design



and a stylish design solution that gives the boat a modern and elegant look



Convenient and designer buttons with illumination for controlling the elements of the electrical kit combine style and functionality



on the water, creating comfortable and cozy shade

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code





V650 with HARD-Top and sundeck



«GALA - TABS» hull design - significantly improves the performance of the boat, provides a quick exit to the gliding mode and reduces fuel consumption



The liftable driver`s seat provides a more active driving, allowing you to adjust the seating height for better control and comfort while driving

Fiberglass table provides convenience during meals, combining a stylish design with practical functionality



For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



Quality fittings with branding from GALA guarantees reliability and style in every detail of yours boat







V7 695 cm (22' 10") long 200HP max, 15 pers 600 kg (1320 lbs)

VIKING V6, V650 and V7 models embody modern style and functionality, combining aesthetics with practical advantages. These boats are made of marine grade aluminum that provides their reliability and durability. The patented design of the «GALA - TABS» hull adds strength transom, increasing overall stability and efficiency. The design of each model is developed with an emphasis on comfort and convenience.

V650 with HARD-Top and sundeck



VIKING

V6 580 cm (19' 0") long 150HP max, 12 pers 462 kg (1016 lbs)









compartment for placing small items

V500F · V6F · V650F · V7F





500 cm (16' 5") long 100HP max, 9 pers 300 kg (660 lbs)

580 cm (19' 0") long 150HP max, 12 pers 462 kg (1016 lbs)

650 cm (21' 4") long 175HP max, 14 pers 525 kg (1155 lbs)

695 cm (22' 10") long 200HP max, 15 pers 600 kg (1320 lbs)

VIKING V500F, V6F, V650F and V7F are specialized fishing boats made from marine grade aluminum for durability. Each model is equipped with fishing platforms, comfortable seats and a stable «GALA - TABS» hull. Side steps from EVA Marine Deck provides safety and there is also a built-in fish aerator, washing pump and fishing rod attachment for maximum comfort during fishing.

> V580F V580F



Convenient and designer buttons with illumination for controlling the elements of the electrical kit combine style and functionality



Possibility to install glasses-holders for fishing rods, which provide convenient and reliable fastening of fishing tackle, allowing you to easily organize a comfortable process fishing



elegance and convenience by combining stylish look with practical functionality



The improved designer handles on tubes add



The ergonomic cockpit space provides maximum comfort and convenience, optimizing location of all



For complete information about the basic specifications, photos and videos please visit



V650F · V7F



Cups for installing fishing rods behind the driver's seat make it possible to comfortably arrange fishing



A folding ladder in the stern is easy access from the



The fish processing board, which is installed on the board platform, makes it easy process the catch and



A retractable crinoline ladder is compactly stored without taking up much space, and provides convenient access from the water to the boat

V7.5 · V8 · V9





The folding seat of the aft seat provides a convenient passage into the recess of the boat, and it is easy to move around and make the most of the space on based.



SunDeck provides a comfortable and pleasant stay for the passenger, turning every trip on the water into a relaxation



A cooking surface ensures the convenience of cooking on board



The bathroom area in the front part of the steering console provides passenger comfort





V7.5745 cm (24' 5") long
300HP max, 15 pers
800 kg (1760 lbs)




V9 895 cm (29' 4") long 600HP max, 14 pers 1200 kg (2640 lbs)


VIKING V7.5, V8 and V9 are new boat models for the 2025 season. These models will open new horizons in the world of water adventures. These amazing boats combine craftsmanship and new developments to create unforgettable moments on the water.

VIKING V7.5 is a boat created for those who value perfect comfort on the water. Its the refined concept combines the ergonomic C-23 console with a comfortable front seat and S-24 driver's seat, providing the highest level of comfort and pleasure from each travel.

The VIKING V8 and V9 boats have a spacious kitchen area where you can prepare food even during swimming, and a modern bathroom that provides comfort during long trips. The main advantage of these models is the large space on board, which allows you to place everything necessary for long trips and rest.



Extending the rear part of the cockpit provides additional space and optimizing the functionality of



Comfortable ergonomic seats with lateral support and a folding function are comfort and flexibility, allowing you to easily adjust the seat to your needs



Comfort on the boat is enhanced by the bathroom area and wash basin, with all the necessary amenities close at hand



HARD-TOP provides protection from the sun and allows you to enjoy the view of the starry sky thanks to the glass inserts

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



VIKING V7.5



VIKING V8



VIKING V9





«GALA-JET» tube/hull design is a key to exceptional



Each GALA Series - F model has a plenty of space and



All boats feature heavily anodized aluminium floorboards for extended lifetime



Each boat has a substantial keel and V-bottom for cutting waves and soft ride





F270/F270A 270 cm (8' 10") long 10HP max, 4 pers 55/41 kg (121/90 lbs) 63/46 kg (139/101 lbs

F240/F240A



F330/F330A 330 cm (10' 10") long 20HP max, 6 pers 71/57 kg (156/125 lbs)



F360 360 cm (11' 10") long 30HP max, 7 pers 95 kg (209 lbs) 40HP max, 8 pers 110 kg (242 lbs) 102 kg (224 lbs) 115 kg (253 lbs) FREESTYLE tenders from GALA are represented across 8 models and constitute a new and

420 cm (13' 9") long

fresh design in the class of foldable boats with floorboards or airdeck. Key features are:

- Each model is equipped with the «GALA-JET» inflatable tube, allowing for an impressive carrying capacity and power rating.
- Each model comes with two aluminum sliding seats (1 on FREESTYLE F240) and aluminum floorboards.
- Every unit is expertly equipped only with genuine GALA fittings and accessories.
- There are 12 models in the series and two flooring options:
- FREESTYLE F240, F270, F300, F330, F360, F390, F420, F450 with solid aluminum floorboards and inflatable keel.
- · FREESTYLE F240A, F270A, F300A, F330A with high-pressure airdeck and inflatable keel. In creating this line of tenders, we offer something entirely different in comparison to other boats available on the market: unprecedented quality of design, engineering and craftsmanship in each boat.

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



convenient and practical accessory for storing things on board which is easy to attach







Quality fittings with branding from GALA guarantees reliability and style in every detail of yours boat



FREESTYLE F240A-F330A




FREESTYLE F360-F450





MORE SPACE MORE CAPACITY MORE POWER

Just check out all capacities, cockpit space and power rating to see that GALA is the best



All structural seams of inflatable tubes are strictly



Sliding installation system for plywood seats is a great feature for easy cockpit space arrangement



Each S-series GALA tender is light and compact, easy



SPRINTER light foldable tenders dinghies are the best of the classics: streamlined, sleek, and elegant with forefront engineering. There are boats with slatted deck SPRINTER (S240-S330),

For complete information about the basic equipment, additional options, technical specifications, photos and videos please visit the website using the QR code



convenient and practical accessory for storing things on board which is easy to attach





An overall cover effectively protects your boat from



GALA slatted deck covers most of the cockpit area for



SPRINTER S210-S300



SPRINTER S240D-S360D





C380 380 cm (12' 6") long 6HP max, 3 pers 34 kg (75 lbs) 450 cm (14' 9") long 8HP max, 4 pers 37 kg (81 lbs) C520 520 cm (17' 1") long 8HP max, 5 pers 42 kg (92 lbs)

Our series of inflatable canoes developed in, an extension of and innovation on a symbol of Canadian identity. The avantgarde concept is creating a new facet in the canoe industry, as well as the inflatable boating industry, pioneering a more advanced and versatile canoeing lifestyle.

CHALLENGER canoes retain classic canoe features while incorporating contemporary materials and technology for an unbeatable alternative:

- They are UNSINKABLE and are significantly more STABLE, They do not flip over, unless you want it to.
- · They are LIGHT, COMPACT and fit the car trunk. No need for strapping anything to the roof of a car.
- · They PERFORM. Motor compatible, enabling you to reach your island or cottage doing up to 30 km/h.
- · They are COMFORTABLE. Seating is situated higher and with lots of cockpit space around.

· They have remarkable carrying capacities! You will be impressed at how much gear you can take.



You can safely carry a lot of gear with you for hundreds of kilometers at high speed



The concept of GALA Canoe is the most advanced and versatile design on a market today



Bow deflectors and rubrail makes your ride dry and comfortable at all speeds



Paddling with GALA canoes is very easy and enjoyable. Assemble it in 5-7 min and have fun paddling





30km/h with 8HP





The folding canoe is distinguished by its compact size,



Each GALA Atlantis-LITE is extremely low weight

For complete information about the basic equipment, additional options, technical



CHALLENGER C320-C520



TECHNICAL SPECIFICATIONS

Series	ATLAN lite / do		k RIB tend	lers							ATLAN AQUA	ITIS HELM RIB	tenders		ATLAI RIB te		cruising F	≅IB			VIKIN luxe R	G IB tende	ers	
Models	A240	A270	A300	A330	A240D	A270D	A300D	A330D	A360D	A390D	A300Q	A330Q	A360Q	A390Q	A300L	A330	L A360L	. A400L	A450L	A500L	V300	V330	V360 V42	20
Length overall cm ft/inches	240 7 '10"	270 8'10"	300 9'10"	330 10'10"	240 7 '10"	270 8'10"	300 9'10"	330 10'10"	360 11'10"	390 12'10"	300 9'10"	330 10'10"	360 11'10"	390 12'10"	300 9'10"	330 10'10	360 " 11'10"	400 13'1"	450 14' 9"	500 16' 5"	300 9'10"	335 11' 0"	365 420 12'0" 13'9	
Length inside cm ft/inches	170 5' 7"	192 6' 4"	222 7'3"	252 8'3"	170 5' 7 "	192 6' 4"	222 7'3"	252 8'3"	282 9'3"	310 10'2"	222 7'3"	252 8' 3"	282 9'3"	310 10'2"	214 7 ' 0"	244 8' 0"	270 8'10"	310 10'2"	354 11' 7 "	400 13'1"	180 5 '11"	208 6'10"	225 26 ² 7'5" 88	
Width overall cm ft/inches	152 5'0"	152 5'0"	162 5 '4"	162 5'4"	170 5 '7"	170 5'7"	170 5'7"	170 5 '7"	170 5'7"	170 5 '7"	170 5'7"	170 5'7"	170 5 '7"	170 5'7"	170 5 '7"	170 5'7"	192 6'4"	192 <mark>6'4"</mark>	215 7 '1"	215 <mark>7</mark> '1"	170 5 '7"	170 5'7"	180 192 5'11" 6'4	
Width inside cm ft/inches	76 2'6"	76 2'6"	78 2'7''	78 2'7"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	96 3 '2"	96 3 '2"	111 3'8"	111 3'8"	82 2'8"	82 2'8"	84 96 2'9" 3'2	
Tube diameter max cm inches	38 15"	38 15"	42 17"	42 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	48 19"	48 19"	52 20"	52 20"	44 17"	44 17"	48 48 19" 19'	
Bare Boat weight * kg	40 88	44 97	50 110	56 123	54 119	60 132	67 147	72 158	84 185	98 216	97 213	103 227	109 240	123 271	115 253	126 277	160 352	170 3 74	240 528	275 605	120 264	135 297	168 225 370 495	
Loading capacity *** kg	300 660	350 770	400 880	500 1100	350 770	450 990	500 1100	550 1210	600 1320	650 1430	500 1100	550 1210	600 1320	650 1430	450 990	500 1100	700 1540	800 1760	900 1980	1000 2200	450 990	500 1100	700 1000 1540 220	
Passengers capacity	2	3	4	4	3	4	5	5	6	6	5	5	6	6	4	5	6	7	8	9	4	5	6 9	
No of chambers **	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	5	5	3	3	3 4	
Engine HP recommended kW	5 3.7	8 5.9	10 7.4	15 11	5 3.7	8 5.9	10 7.4	15 11	20 14.7	20 14.7	10 7.4	15 11	20 14.7	20 14.7	15 11.0	20 14.7	30 22.1	40 29.4	50 36.8	70 51.5	20 14.7	20 14.7	30 50 22.1 36.8	
Engine max *** HP kW	6 4.4	10 7.4	15 11	20 14.7	6 4.4	10 7 .4	15 11	20 14.7	25 18.4	30 22.1	20 14.7	30 22.1	30 22.1	30 22.1	20 14.7	30 22.1	40 29.4	50 36.8	70 51.5	90 66.2	20 14.7	30 22.1	40 100 29.4 73.5	
Engine weight max kg	35 77	45 99	50 110	60 132	35 7 7	45 99	50 110	60 132	70 154	70 154	50 110	60 132	70 154	70 154	60 132	70 154	100 220	110 242	130 286	180 396	80 <u>176</u>	80 <mark>176</mark>	100 120 220 264	
Engine shaft length inch	15"	15"	15"	15"(20")	15"	15"	15"	15"(20")	15"(20")	15"(20")	15"	15"(20")	15"(20")	15"(20")	15"	15"	20"	20"	20"	20"	20"	20"	20" 20)"
Fuel system lit		-	-	_	_	_	-	_	_	_		-	_	_		_	35	35	83	83		39	39 83	3
Deadrise transom/mid deg	14%19°	14º/19º	14º/19º	14º/19º	14º/19º	14º/19º	14º/19º	14º/19º	14%19°	18°/22°	14º/19º	14º/19º	14º/19º	18°/22°	14º/19º	14%19	20%23	20%23°	23º/27º	23°/27°	17º/23º	17º/23º	17º/23º 22º/2	25°
Transport dimensions cm of package Nº1 cm cm ft/inches ft/inches	211 114 54 6'11" 3'9" 1'9"	233 114 54 7'8" 3'9" 1'9"	263 114 54 8'8" 3'9" 1'9"	293 114 54 9'7" 3'9" 1'9"	211 114 54 6'11" 3'9" 1'9"	233 114 54 7'8" 3'9" 1'9"	263 114 54 8'8" 3'9" 1'9"	293 114 54 9'7" 3'9" 1'9"	323 114 54 10'7" 3'9" 1'9"	353 114 54 11'7" 3'9" 1'9"	263 114 54 8'8" 3'9" 1'9"	293 114 54 9'7" 3'9" 1'9"	323 114 54 10'7" 3'9" 1'9"	353 114 54 11'7" 3'9" 1'9"	264 114 54 8'8" 3'9" 1'9"	293 114 54 9'7" 3'9" 1'9"	330 135 65 10'10" 4'5" 2'2"	370 135 65 12'2" 4'5" 2'2"	430 140 78 14'1" 4'7" 2'7"	480 155 81 15'9" 5'1" 2'8"	255 114 65 8'4" 3'9" 2'2"	293 114 65 9'7" 3'9" 2'2"	330 400 135 135 65 80 10'10" 13'1 4'5" 4'5 2'2" 2'7	5)]" 5"
Transport dimensions cm of package Nº2 cm cm ft/inches ft/inches															52 58 90 1'8" 1'11"	52 72 90 1'8" 2'4" 2'11"	60 60 100 2'0" 2'0" 3'3"	60 60 100 2'0" 2'0" 3'3"	70 80 100 2'4" 2'7" 3'3"	70 80 100 2'4" 2'7" 3'3"	60 80 105 2'0" 2'7" 3'5"	60 80 105 2'0" 2'7" 3'5"	60 90 80 120 105 140 2'0" 2'1' 2'7" 3'1' 3'5" 4'7	0 0 11" 11"
Transport dimensions cm of package Nº3 cm cm ft/inches ft/inches ft/inches															100 50 46 3'3" 1'8" 1'6"	100 50 46 3'3" 1'8" 1'6"	110 60 60 3'7" 2'0" 2'0"	110 60 60 3'7" 2'0" 2'0"	120 65 60 3'11" 2'2" 2'0"	120 65 60 3'11" 2'2" 2'0"				
Tube material options					HYPALC								DN/PVC					ON/PVC					DN/PVC	
Alu bull thicknessmm		2.5	2.5		Aluminium			2.5	7	7			n hull RIB					ım hull F					n hull RIB 3 4	
Alu hull thickness mm	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	3	3	2.5	2.5	3	3	3	3	3	5	4	4	3	3		
Boat design category ****	D	D	С	С	D	D	С	С	С	С	С	С	С	С	C	С	С	С	С		C	С	C C	

^{* -} The bare boat weight is just a weight of the emply boat without any removable accessories,

All technical data are subject to change without notice. The product details and specifications may be changed from specified herein. All the dimensions are +/- 3%. All the weights are +/- 10%. Products availability, trim and specifications may vary by country. Please contact your local Dealer/Distributor for up-to-date information. The pictures in the catalogue were taken with the professional operators in controlled conditions. Please never try any activity, which is beyond your capabilities, nor which is potentially dangerous. Always wear appropriate and approved life vest or other personal flotation devices and appropriate clothing. Follow the User's Manual instructions for the boat and the engine. Make sure that you read and clearly understand all the restrictions and limitations. Have a safe boating!

^{** -} F series with floorboards have 1 extra buoyancy volume- the inflatable keel. F with airdeck have 2 extra buoyancy volume: the inflatable keel and the bottom.

⁻ Because of differences in local boatbuilding standarts the Loading capacity, Passenger capacity, Maximum Engine Power and other specifications may vary by country and can be different to this specification. Pleace check that with your local Dealer.

^{**** -} Boat design category and Classification of European Directive for Recreational crafts 2013-53-EU

Foldable Inflatable Boats and Inflatable Canoes

Rigid Inflatable Boats (RIB) with Aluminium hull

Series	VIKING luxe R		s/luxe cı	uising RI	В						
Models	V500	V500F	V6	V6F	V650	V650F	V7	V7F	V7.5	V8	V9
Length overall cm ft/inches	500 16' 5"	500 16' 5"	580 19' 0"	580 19' 0"	650 21' 4"	650 21' 4"	695 22'10"	695 22'10"	745 24'5"	795 26'1"	895 29' 4"
Length inside cm ft/inches	350 11'6"	350 11'6"	470 15' 5"	470 15' 5"	540 17' 9"	540 17'9"	500 16' 15"	560 18' 4"	560 18' 4"	675 22' 2"	700 23' 0"
Width overall cm ft/inches	215 7'1 "	215 7 '1"	250 8'2"	250 8'2"	250 8'2"	250 8'2"	280 9'2"	280 9'2"	280 9'2"	290 9'6"	290 <mark>9'6"</mark>
Width inside cm ft/inches]]] 3'8"	111 3'8"	130 4'3"	130 4'3"	130 4'3"	130 4'3"	160 5'3"	160 5'3"	160 5'3"	174 5'9"	174 5'9"
Tube diameter max cm inches	52 20"	52 20"	60 24"	60 24"	60 24"	60 24"	60 24"	60 24"	60 24"	58 23"	58 23"
Bare Boat weight * kg	300 660	300 660	462 1016	462 1016	525 1155	525 1155	700 1540	700 1540	800 1760	1000 2200	1200 2640
Loading capacity *** kg	1000	1000	1500 3300	1500 3300	1800 3960	1800 3960	1900 4180	1900 4180	1900 4180	2000 4400	2200 4840
Passengers capacity	9	9	12	12	14	14	15	15	15	14	14
No of chambers **	5	5	5	5	5	5	5	5	5	5	5
Engine HP recommended kW	80 58.8	80 58.8	120 88.3	120 88.3	150 110.3	150 110.3	200 147.1	150 110.3	250 183.9	300 220.6	400 294.2
Engine max *** HP kW	100 73.5	100 73.5	150 110.3	150 110.3	175 128.7	175 128.7	300 220.6	200 147.1	350 257.4	400 294.6	500 367.7
Engine weight max kg	180 396	180 396	250 550	250 550	300 660	300 660	400 880	300 660	500 1100	500 1100	600 1320
Engine shaft length inch	20"	20"	20"	20"	25"	20"	25"	25"	25"	25"	25"
Fuel system lit	83	83	106	106	202	202	300	250	300	350	400
Deadrise transom/mid deg	23º/28º	23º/28º	23°/30°	23°/30°	23°/30°	23°/30°	23°/30°	23%30°	23°/30°	23%30°	23°/30°
Transport dimensions cm of package Nº1 cm cm ft/inches ft/inches	480 155 81 15'9" 5'1" 2'8"	480 155 81 15'9" 5'1" 2'8"	550 190 110 18'1" 6'3" 3'7"	550 190 110 18'1" 6'3" 3'7"	620 190 110 20'4" 6'3" 3'7"	620 190 110 20'4" 6'3" 3'7"	670 225 150 22'0" 7'5" 4'11"	660 190 100 21'8" 6'3" 3'3"	720 225 150 23'7" 7'5" 4'11"	720 225 150 23'7" 7'5" 4'11"	720 225 150 23'7" 7'5" 4'11"
Transport dimensions cm of package Nº2 cm cm ft/inches ft/inches ft/inches	90 120 160 2'11" 3'11" 5'3"	90 120 160 2'11" 3'11" 5'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	130 110 130 4'3" 3'7" 4'3"	180 120 155 5'11" 3'11" 5'1"	180 120 155 5'11" 3'11" 5'1"
Transport dimensions cm of package Nº3 cm cm ft/inches ft/inches ft/inches	60 80 100 2'0" 2'7" 3'3"	60 80 100 2'0" 2'7" 3'3"	80 100 100 2'7" 3'3" 3'3"	80 100 100 2'7" 3'3" 3'3"	120 110 100 3'11" 3'7" 3'3"	120 110 100 3'11" 3'7" 3'3"	120 110 100 3'11" 3'7" 3'3"	120 110 100 3'11" 3'7" 3'3"	120 110 100 3'11" 3'7" 3'3"	145 120 100 4'9" 3'11" 3'3"	140 120 100 4'9" 3'11" 3'3"
Tube material options						ON/PVC					
Bottom type						n hull RII					
Alu hull thickness mm	4	4	4	4	4	4	5	5	5	5	6
Boat design category ****	С	С	С	С	С	С	С	С	С	С	С

floorb		/air-c		enders		F330	F330A	F360	F390	F420	F450	ligh	S240	ble ten S270		5330D	\$360D	infl	ALLEN atable C380	canoe	
240 7 ' 10"	240 7 '10"	270 8'10"	270 8'10"	300 9'10"	300 9'10"	330 10'10"	330 ' 10'10'	360 11'10"	390 12'10"	420 13'9"	450 14'9"	210 6' 11"	240 7'10"	270 8'10"	300 9'10"	330 10'10"	360 11'10"	320 10' 6"	380 12' 6"	450 14'9"	52 17'
170 5' 7"	170 5' 7"	192 6' 4"	192 6' 4"	222 7'3"	222 7'3"	252 8' 3"	252 8' 3"	273 8'11"	303 9'11"	333 10'11"	357 11' 9"	141 <u>4'</u> 8"	171 5' 7"	192 6' 4"	222 7'3"	252 8'3"	282 9'3"	257 8' 5"	317 10'5"	387 12' 8''	4: 15'
155 5'1"	155 5'1 "	170 5'7"	170 5'7"	170 5'7"	170 5 '7"	170 5'7"	170 5 '7"	195 6'5 "	195 6'5"	195 6'5"	195 6'5 "	145 4'9"	145 4'9"	160 5'3"	160 5'3"	160 5'3"	160 5'3"	106 3 '6"	106 3 '6"	106 3'6"	10 3'
75 2'2"	75 2'2"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	82 2'8"	99 3'3"	99 3 '3"	99 3'3"	99 3'3"	69 2'3"	69 2'3"	76 2'6"	76 2'6"	76 2'6"	76 2'6"	42 1'5"	42 1'5"	42 1'5"	ے ال
40 16"	40 16"	44 17"	44 17"	44 17"	44 17"	44 17"	44 17"	48 19"	48 19"	48 19"	48 19"	38 15"	38 15"	42 17"	42 17"	42 17"	42 17"	32 13"	32 13"	32 13"	
45 99	35 77	55 121	41 90	63 139	46 101	71 156	57 125	95 209	102 224	110 242	115 253	28 62	32/45 70/99		40/55 88/121	60 132	68 150	28 62	34 75	37 81	2
50 70	350 770	450 990	450 990	500	500	550 1210	550 1210	750 1650	800	850 1870	1000	220 484	250 550	300 660	400	450 990	500	320 704	380 836	450 990	5 12
3	3	4	4	5	5	6	6	7	8	8	10	2	3	3	4	4	5	2	3	4	
+1/	3+1/ 3+2	3+1	3+1	4+1	5+1	3	3/3+1	3/3+1	3/3+1	3+1	3+1	4+7	4+1	4+1	_						
5 3.7	5 3.7	8 5.9	8 5.9	10 7.4	10 7.4	15 11.0	15 11.0	20 14.7	25 18.4	30 22.1	40 29.4	4 2.9	4 2.9	8 5.9	10 7.4	15 11.0	15 11.0	3 2.2	4 2.9	6 4.4	
5 . 7	5 3.7	10 7.4	10 7.4	15 11.0	15 11.0	20 14.7	20 14.7	30 22.1	30 22.1	40 29.4	50 36.8	4 2.9	5 3.7	10 7.4	15 11.0	20 14.7	20	4 2.9	6 4.4	8 5.9	Ĺ
30 56	30 66	45 99	45 99	50 110	50 110	60 132	60 132	80 176	80 176	95 209	115 253	25 55	30 66	45 99	50 110	60 132	60 132	25 55	35 7 7	40 88	
15"	15"	15"	15"	15"	15"	15"	15"	20"	20"	20"	20"	15"	15"	15"	15"	15"	15"	15"	15"	15"	
-	-	-	-	-	-	-	-	-	-	-	_	_	-	-	-	-	_	_	-	-	
/16°	11º/16º	11%16°	11º/16º	11º/16º	11%16°	11º/16º	11º/16º	12º/17º	12º/17º	12º/17º	12º/17º	11º/17º	11%17°	11º/17º	11º/17º	11%17°	11%17°	_	-	-	
16 50 40 5'10" 2'0"	116 60 40 3'10" 2'0" 1'4"	120 70 45 3'11" 2'4" 1'6"	120 70 45 3'11" 2'4" 1'6"	120 70 50 3'11" 2'4" 1'8"	120 70 50 3'11" 2'4" 1'8"	116 60 40 3'10" 2'0" 1'4"	116 60 40 3'10" 2'0" 1'4"	116 60 40 3'10" 2'0" 1'4"	120 60 40 3'11" 2'0" 1'4"	120 60 40 3'11" 2'0" 1'4"	120 60 40 3'11" 2'0" 1'4"	90 60 47 2'11" 2'0" 1'7"	90 60 47 2'11" 2'0" 1'7"	90 60 47 2'11" 2'0" 1'7"	2						
100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 10 3'3" 2'2" 0'4"	100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"	100 70 12 3'3" 2'4" 0'5"		100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"	100 65 12 3'3" 2'2" 0'5"				
				floorb		VC +keel/	['] airdec	:k				Sla	atted c		VC oorboa	nrds+k	eel		P\ aird:		

All technical data are subject to change without notice. The product details and specifications may be changed from specified herein. All the dimensions are +/- 3%. All the weights are +/- 10%. Products availability, trim and specifications may vary by country. Please contact your local Dealer/Distributor for up-to-date information. The pictures in the catalogue were taken with the professional operators in controlled conditions. Please never try any activity, which is beyond your capabilities, nor which is potentially dangerous. Always wear appropriate and approved life vest or other personal flotation devices and appropriate clothing. Follow the User's Manual instructions for the boat and the engine. Make sure that you read and clearly understand all the restrictions and limitations. Have a safe boating!

D

D

D

D

C C

D

D D D

 C C C C C

D

D D C C C

^{* -} The bare boat weight is just a weight of the emply boat without any removable accessories,

^{** -} F series with floorboards have 1 extra buoyancy volume- the inflatable keel. F with airdeck have 2 extra buoyancy volume: the inflatable keel and the bottom.

⁻ Because of differences in local boatbuilding standarts the Loading capacity, Passenger capacity, Maximum Engine Power and other specifications may vary by country and can be different to this specification. Pleace check that with your local Dealer.

⁻ Boat design category and Classification of European Directive for Recreational crafts 2013-53-EU